

## Measuring Cups & Scoops

### A Premium Measuring Cups

- Food service approved; dishwasher safe
- Poly-clear cups give exact measurements
- No metal dents to alter measurements
- Red embossed markings will not wash or scratch off
- Self-draining bottom helps to completely drain water
- "I-Beam" handle with thumb grip control
- Deep handle width prevents burns from hot liquids
- Freezer safe to -40°F/-212°C

<b>9808</b>	1 Cup/8 oz/237 mL	12/cs.	1.5 lb
<b>9816</b>	1 Pint/16 oz/473 mL	6/cs.	1.5 lb
<b>9832</b>	1 Quart/32 oz/946 mL	6/cs.	2.5 lb
<b>9864</b>	2 Quart/64 oz/1893 mL	6/cs.	4 lb
<b>9828</b>	4 Quart/128 oz/3785 mL	6/cs.	6.5 lb

### B Econo 8 oz. Measuring Cup

- An economy 8 oz. utility plastic cup
- Calibrated ounce and millilitre scales

<b>2418</b>	Translucent	8 oz/237 mL	Bulk	1.5 lb
-------------	-------------	-------------	------	--------

### C Econo 16 oz. Measuring Cup

- An economy 16 oz. utility polypropylene cup
- Liquid and dry measurements with graduations

<b>2416</b>	Translucent	16 oz/473 mL	24/cs.	3 lb
-------------	-------------	--------------	--------	------

### D Premium Measuring Scoops

- Food service approved; dishwasher safe
- Poly-clear is lighter weight than aluminum or glass
- Durable, resists chipping, scratches and breakage
- Beveled front edge for maximum pick up
- Hanging slot for efficient storage
- Thumb indent for greater control and comfort
- Reinforced gussets prevent flexing and breakage

<b>9906</b>	Bar Scoop	6 oz/177 mL	12/cs.	2.5 lb
<b>9932</b>	Utility Scoop	32 oz/946 mL	12/cs.	6 lb
<b>9964</b>	Large Utility Scoop	64 oz/1893 mL	6/cs.	4 lb

### E Deluxe Scoop

- Large capacity polypropylene scoop

<b>2405</b>	White	2 Quart/1.9 L	12/cs.	27 lb
-------------	-------	---------------	--------	-------

### F Econo Measuring Scoops

<b>2401</b>	Translucent	1 oz/30 mL	Bulk	
<b>2402</b>	Translucent	2 oz/59 mL	Bulk	

### G Econo Mini Scoop

- A polypropylene scoop for liquid and dry measurements

<b>2408</b>	White	4 fl. oz/ 118 mL	144/cs.	13 lb
-------------	-------	------------------	---------	-------

### Plastic Funnels

- 8 oz/237 mL capacity
- Dimensions: 4 1/4" Dia. x 4 1/4" H

<b>H 5408</b>	Translucent	Sold ea.	.01 lb
---------------	-------------	----------	--------

- 16 oz/473 mL capacity
- Dimensions: 5" Dia. x 5 3/4" H

<b>I 5416</b>	Translucent	Sold ea.	.01 lb
---------------	-------------	----------	--------

### J Industrial Funnel

- 32 oz/946 mL capacity
- Excellent item for transferring chemicals
- Fine screen filters out foreign particles
- Dimensions: 5 1/2" Dia. x 8" H

<b>5403</b>	Red	24/cs.	8 lb
-------------	-----	--------	------

## Portion Aids & E-Z Fill™

### A 28 mm - 38 mm Portion Aids

- Gives accurate measurements and eliminates waste
- Use with cleaners, disinfectants, detergents or concentrates
- Ounce and cc calibrations silk screened on sides
- Cup size 3 oz/89 mL
- Dimensions for 3528: 12" L x 2" D x 3" H
- Dimensions for 3538: 15" L x 2" D x 3" H

<b>3528</b>	Fits 28 mm neck	Translucent	12/cs.	1 lb
<b>3538</b>	Fits 38 mm neck	Translucent	12/cs.	1 lb

### B Pro-Blend Portion Aids

- Just turn the top clockwise to raise or counter-clockwise to lower the regulator
- Squeeze the bottle to fill; any excess liquid will flow back into the bottle
- Open the safety cover and pour out the measured liquid
- Reduces product waste and ensures fast easy measuring

#### 28 mm/400 neck for gallon bottles

<b>200309</b>		12/cs.	1.8 lb
---------------	--	--------	--------

#### 38 mm/400 neck for 32 oz bottles

<b>200308</b>		12/cs.	2 lb
---------------	--	--------	------

### C E-Z Fill® 5 Gallon Polyethylene Container

- User friendly for E-Z filling and pouring of product
- Heavy-duty container, 63 mm angled front opening for filling of ready-to-use chemical concentrates
- 38 mm top vent opening accepts standard 3/4" tubing
- Includes 7577 faucet with 38 mm cap, has no leak, tight fit with easy on/off handle, spout fits into 28 mm bottle neck
- 1/2 gallon embossed graduations on top and front
- Dimensions: 16" L x 10" W x 10" H

<b>7576</b>	Translucent	6/cs.	23 lb
-------------	-------------	-------	-------

### D E-Z Fill® 2 1/2 Gallon Polyethylene Container

- Same features as 7576
- Dimensions: 16" L x 5" W x 10" H

<b>7572</b>	Translucent	12/cs.	30 lb
-------------	-------------	--------	-------



## Faucets & Drum Accessories

### E Faucet for 7576 and 7572 E-Z Fill® Containers

- No leak design, has easy on/off operation
- Fits 38mm (1 1/2") neck finish
- Dimensions: 1 1/4" L x 1 5/8" W x 3" H


<b>7577</b>	White	Sold ea.	0.5 lb
-------------	-------	----------	--------

### Drum Spigots

- Made of FDA approved virgin polyethylene
- Handles viscous materials
- Not affected by most acids, caustics or oil
- Instant on/off control
- Dimensions for 4200: fits 2" bung opening
- Dimensions for 4205: fits 3/4" bung opening

<b>F 4200</b>	Bronze	Sold ea.	.02 lb
---------------	--------	----------	--------

<b>G 4205</b>	Bronze	Sold ea.	.02 lb
---------------	--------	----------	--------





## Plastic & Metal Pumps

### A 2200 8 oz Drum Pump With 20 Litre Pail Adapter

- Pumps 8 oz or 2, 4 or 6 oz (237, 59, 118 or 177 mL) with restriction clips included
- Special pail adapter fits 5 or 6 gallon pails with Senior Rieke FlexSpout
- Fits 55 gallon drums with  $\frac{3}{4}$ " or 2" standard F.I.P. fittings
- O-ring for better seal. Adapts to both  $\frac{3}{4}$ " and 2" National Pipe Thread
- Polypropylene and polyethylene construction for chemical resistance
- Dimensions: 2" D x 11" H

<b>2200BL</b>	Blue	12/cs.	12 lb
---------------	------	--------	-------

### B 2204 22 oz Metal Drum Pump

- Pumps 22 oz/651 mL per stroke
- Fits 15, 30 and 55 gallon drum with  $1\frac{1}{2}$ " and 2" National Pipe Thread
- Self-priming, nickel plated pump
- Dimensions:  $1\frac{1}{2}$ " D x 8" W x  $42\frac{1}{2}$ " H

<b>2204</b>	Silver	6/cs.	31 lb
-------------	--------	-------	-------

### C 2208 8 oz Metal Drum Pump

- Dispenses 8 oz/237 mL per stroke
- Fits 15, 30 and 55 gallon drum with 2" National Pipe Thread
- Chrome plated pump
- Dimensions:  $1\frac{1}{8}$ " D x 9" W x 24" H

<b>2208</b>	Chrome	12/cs.	19 lb
-------------	--------	--------	-------

## Siphon Pumps

### D 2300 Siphon Drum Pump

- Made from polyethylene for 15, 30 and 55 gallon drums
- For standard drums with 2" National Pipe Thread
- Dimensions: 3" D x 45" H

<b>2300</b>	Red	12/cs.	11 lb
-------------	-----	--------	-------

### E 2305 Mini Siphon Pump

- Comes with adapter for use with Rieke Intermediate plastic FlexSpout on 20 L pails
- When used with Rieke Jr. FlexSpout, remove adapter
- Dimensions: 2" D x 21" H

<b>2305</b>	Red	24/cs.	7 lb
-------------	-----	--------	------

### F 2307 Heavy-Duty Siphon Pump

- For rugged, heavy use applications
- Siphons 7 gallons per minute
- Use with 205 L drums with 2" National Pipe Thread
- Dimensions:  $3\frac{1}{2}$ " D x 47" H

<b>2307</b>	Red	24/cs.	14 lb
-------------	-----	--------	-------

## Dispensing Pumps

### A 901 Deluxe 1 oz Dispensing Pump

- 1 oz/30 mL with 38 mm cap and 11" tube length
- Non-removable cap with calibrated plunger
- Fits 4 litre container and standard gallon
- Recommended for most products including chemicals and some pumice type soaps
- Dimensions: 17" L x 4<sup>3</sup>/<sub>8</sub>" spout

901 White 24/cs. 0.5 lb

### B 901A Deluxe Plastic 1 oz Pail Pump

- 1 oz/30 mL calibrated plunger with 17" tube length
- Fits 20 L/5 gal pails with Senior Rieke Adapter
- Dimensions: 22<sup>1</sup>/<sub>2</sub>" L x 4<sup>3</sup>/<sub>8</sub>" spout

901A White 24/cs. 0.5 lb

### C 902A Special 1/8 oz Plastic Pump

- 1/8 oz/4 mL with 38 mm locking cap and 11" tube length
- Fits 4 L container and standard gallon
- Good for hand soaps; very economical
- Dimensions: 17" L x 3" spout

902A White 24/cs. 0.5 lb

### D 904 Econo 1 oz Dispensing Pump

- 1 oz/30 mL with 38 mm cap and 10<sup>3</sup>/<sub>4</sub>" tube length
- Removable cap without calibrated plunger
- Plunger locks down for reduction of leaks during shipping and storage
- Fits 4 litre container and standard gallon
- FDA and USDA accepted for food applications and disinfectants
- Dimensions: 17" L x 4<sup>3</sup>/<sub>8</sub>" spout

904 White 24/cs. 0.5 lb

### E 904A Econo Plastic 1 oz Pail Pump

- 1 oz/30 mL with 38 mm cap and 17" tube length
- Plunger locks down for reduction of leaks during shipping and storage
- Removable cap without calibrated plunger
- Fits 20 L/5 gal pails with Senior Rieke Adapter
- FDA and USDA accepted for food applications and disinfectants
- Dimensions: 22<sup>1</sup>/<sub>2</sub>" L x 4<sup>3</sup>/<sub>8</sub>" spout

904A White 24/cs. 0.5 lb

### F 906A Special 1/16 oz Plastic Pump

- 1/16 oz/2 mL with 28 mm locking cap and 9" tube length
- Fits standard 28 mm quart and pint bottles
- Dimensions: 11" L x 2<sup>1</sup>/<sub>2</sub>" spout

906A White 24/cs. 0.5 lb



## Plastic Pump Kit

### G 905 1 oz Plastic Pump Kit with 904 Econo Pump

- For use with various neck sizes on different gallon containers (mustard, ketchup, etc.)
- Fits 4 litre container and standard gallon
- Great for food service and other institutional uses
- Includes plastic caps, sizes 89 mm, 110 mm and 120 mm
- Dimensions: 10<sup>3</sup>/<sub>4</sub>" L tube

905 White 24/cs. 0.5 lb

◆ Non-stocked item requires special order





## Industrial Sprayers

### A Multi-Purpose™ Sprayers

- The most economical for pro use
- Ideal for spraying water during asbestos removal
- Translucent poly tank, Duracril™ hose, curved poly wand with cone and fan Pic-A-Pattern poly nozzles
- One-finger locking trigger
- All hoses and pump mechanisms disassemble for cleaning and maintenance
- 18" plastic nozzle extension

<b>20011TS</b>	1 US Gal/4 L	1/cs.	4 lb
<b>20012TS</b>	2 US Gal/8 L	1/cs.	4 lb
<b>20013TS</b>	3 US Gal/11 L	1/cs.	4 lb

### B Professional Surface Applicators

- Sprayers with Viton® seals are for professional application of carpet spotters, disinfectants, sealers, etc. on
- Translucent tank for easy viewing and measurement
- Extra-long, power-sprayer-type hose and brass Roto-Valve shut-off
- Roto-Valve reduces twisting and kinking of hose
- 18" all brass hose extension and valves
- All hoses and pump mechanisms disassemble for cleaning and maintenance
- Adjustable flat to fan nozzle

<b>90112</b>	2 US gal/8 L	1/cs.	5 lb
<b>90113</b>	3 US gal/11 L	1/cs.	5 lb

### C Super Sprayer

- Plastic extension all Viton® O-Rings and gaskets
- Chemical resistant; can be used with bleach
- Heavy-duty angled wand swivels for greater accuracy
- Large, thrustless shut off; one-finger use for maximum comfort
- Two nozzle patterns - flat fan and cone
- All hoses and pump mechanisms disassemble for cleaning and maintenance

<b>90162</b>	2 US gal/8 L	1/cs.	4 lb
--------------	--------------	-------	------

### D Foam-A-Matic Sprayer

- Applies cleaners, sanitizers and weed killers more effectively as foam
- All Viton® seals and gaskets
- Two spray patterns - heavy foam stream and flat foam fan; one-finger locking trigger
- All hoses and pump mechanisms disassemble for cleaning and maintenance
- 18" plastic nozzle extension

<b>90192</b>	2 US gal/8 L	1/cs.	4 lb
--------------	--------------	-------	------

### E Never Pump™ Porta-Pak

- Back pack with comfortable, adjustable waist belt and spray gun holster to free up hands for other tasks
- Cone nozzle adjusts from mist to long range spray
- Battery powered spray gun uses 4AA batteries (included)
- Spray gun has the following features: soft comfort grip, trigger on/off, adjustable head
- Durable, chemical resistant tank comes out of back pack for easy cleaning

<b>62518</b>	1 US gal/4 L	1/cs.	2.8 lb
--------------	--------------	-------	--------

## Pump Up Sprayers

### A Jr. Pump-Up Sprayer & Foamer

- Easy to use with convenient 48 oz capacity
- Increased chemical resistance with Viton seals
- Spray nozzle adjusts from mist to direct stream

**7548** Grey/Translucent 6/cs. 11 lb

- **7549** Foamer has nozzle that adjusts from stream to foam spray

**7549** Grey/Translucent 6/cs. 11 lb

### B Pump-Up Sprayer

- Ideal for carpet spot cleaning, restroom, car washes
- Large 2 quart capacity; Viton O-rings
- Has adjustable spray nozzle from mist to stream spray

**7500** Grey/Translucent 6/cs. 11 lb

### C Pump-Up Foamer/Sprayer

- Same features as **7500** Pump-Up Sprayer
- Unique nozzle produces smooth, thick foam

**7501** Grey/Translucent 6/cs. 11 lb



## Wash Guns

- Metered mixing provides accurate dilution; any unused chemical can be returned to the original container
- Durable all brass mixing head, metering stem and internal parts for long, trouble-free operation
- Wide mouth, chemical resistant polyethylene bottle

### D Foamaster Foam Cleaning Gun

- Accurately mixes and sprays foaming chemicals
- Foam generating wand creates a thick, clinging foam
- Detachable handle provides a range of powerful rinsing spray patterns
- Controlled flow rate uniquely suited to foaming chemicals

**75QGF** Fixed Ratio 6/cs. 10.5 lbs.

### E Foamaster Multi-Ratio Cleaning Gun

- Same features as **75QGF**, but with multi-ratio stem and deflector
- Multi-ratio dial has five mixing settings
- Customized ratios can be set from 1/4 - 14 oz. per gallon, depending on the viscosity of the chemical

**75QGFMR** Multi-Ratio 6/cs. 10.5 lbs.

- Exceptional chemical resistance to acidic or caustic cleaners
- Accurately mixes and sprays foaming chemicals
- Foam generating wand creates a thick, clinging foam
- Fan spray deflector included for disinfectants, etc.
- Durable polymer mixing head with stainless steel screws
- Anti-siphon built into handle
- Detach handle for a powerful spray rinse
- Easy to fill wide mouth, chemical resistant polyethylene quart

### F Foamaster® II Wash Gun - Single Ratio Dial

- 4 oz/118 mL of a water weight chemical per gallon


**95QGF** Standard Single Ratio 6/cs. 8 lb

### G Foamaster® II Wash Gun - Multi-Ratio Dial

- Can be set from 1/4 oz/7 mL per gallon to 14 oz/414 mL per gallon, depending on the viscosity of the chemical
- Five mixing settings and off

**95QGFMR** Multi-Ratio 6/cs. 10 lb





## Atomizers & Accessories

- Environmentally safe air-charged sprayers
- Refillable, rechargeable and portable
- No disposal problems like with aerosols

### A Multi-Use Steel Atomizer Sprayer

- Constructed to industrial/commercial specifications including Teflon® seals
- Black enamel coated finish over steel tank
- Relief valve and adjustable nozzle from extra fine mist to pin stream

- Good for use with non-water soluble chemicals

99531 1 Quart/946 mL 1/cs. 2.2 lb

### B Multi-Use Aluminum Atomizer Sprayer

- Red, powder-coated epoxy finish over aluminum for superior chemical resistance; Viton seals
- Comes with extra valve and regular spray nozzles
- Other nozzles available in fine, medium, coarse and pin stream

99534 7 oz/207 mL 1/cs. 0.7 lb

### C Wall Mount Storage Bracket

- Epoxy coated steel wire resists corrosion
- Great for storing concentrates used with proportioners
- Holds 3 round US gallon, 4 F-style, square US gallons or 4 litre containers

- Dimensions: 7" D x 25" W x 9" H

200194 1/ctn. 5 lb

### D 800 Series Wall Brackets

- Rigid, chrome plated 1/4" wire
- Excellent for holding litre and gallon containers
- Dimensions for **800 Series**: 4 1/4" D x 6 3/8" W x 6" H

800CH Round Chrome 12/cs. 43 lb

- Dimensions for **804**: 4" D x 5 3/4" W x 5 3/4" H

804 Square Chrome 12/cs. 35 lb

### E Commercial Rubber/Vinyl Hose

- 6-ply construction
- 500 psi burst strength
- Double reinforced for commercial strength
- Heavy-duty brass couplings with O-ring for tight seals
- Protective collar for maximum kink resistance at faucet
- Cover resists abrasion and won't mar surfaces

2958100 100'/30.5 m 2/cs. 27 lb

### F Lid Off

- Lifetime guarantee
- 110 Metal fits most plastic pails

110 Metal 12/cs. 6 lbs.

### G Plastic Pail Lid Opener

- Removes lids from pails and buckets, ideal for foodservice
- Works effectively without cutting or distorting container
- Dimensions: 8" L x 1 1/4" W x 2 3/4" H

7210 White 12/cs. 5 lbs.

### H Drum Wrench

- Universal for either plastic or metal drum bungs
- Lightweight, durable aluminum construction permits use with hazardous materials

7200 Aluminum 12/cs. 1 lb.